Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Stealth Energy, USA Inc.
Well Name/Number: Sam 14-1
Location: SW NE Section 14 T11N R30E
County: Musselshell , MT; Field (or Wildcat) W/C
Air Quality
(possible concerns)
Long drilling time: No, 10 to 15 days drilling time.
Unusually deep drilling (high horsepower rig): No, single or double derrick drilling rig to
drill to 5,200' TD vertical Kibbey Formation.
Possible H2S gas production: Slight.
In/near Class I air quality area: No Class I air quality area.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required
<u>under 75-2-211.</u>
Mitigation:
Air quality permit (AQB review)
Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using a single or double derrick drilling rig to
drill to 5,200'TD Kibbey Formation test.
W (
Water Quality
(possible concerns) Salt/oil based mud: No, freshwater, freshwater mud system.
High water table: No high water table anticipated.
Surface drainage leads to live water: No, closest drainage is Seventynine Coulee an
ephemeral tributary drainage to the Musselshell River, about 1/16 of a mile to the north
from this location. The Musselshell River is about 4 miles to the east from this location.
Water well contamination: No, closest water well is about 1.1 miles to the southwest
from this well location. Depth of this stock water well is 1037'. Surface hole will be
drilled with freshwater and freshwater muds to 520' and steel 8 5/8" surface casing will
be run and cemented to surface from 520' to protect ground water. If productive 5 ½"
casing will be run and cemented to surface. If well is P&A cement plugs will be set to
cover the 3 rd Cat Creek Formation and the Judith River Formation at about 1000'.
Porous/permeable soils: No, sandy silty clay soils.
Class I stream drainage: No, Class I stream drainage in the area.
Mitigation:
Lined reserve pit
X Adequate surface casing
Berms/dykes, re-routed drainage
Closed mud system
Off-site disposal of solids/liquids (in approved facility)
Other:
Comments: 520' of surface casing cemented to surface adequate to protect
freshwater zones. Also, fresh water mud system to be used on surface hole and

mainhole.

Soils/Vegetation/Land Use

(possible concerns)
Steam crossings: None, only ephemeral drainages will be crossed.
High erosion potential: No, small cut, up to 2.7' and small fill, up to 1.7', required.
Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If
productive unused portion of drillsite will be reclaimed.
Unusually large wellsite: No, a large wellsite of 200'X240' location size required.
Damage to improvements: No, slight, surface use is prairie grassland.
Conflict with existing land use/values: Slight
Mitigation Avoid improvements (topographic tolerance)
Avoid improvements (topographic tolerance) Exception location requested
Exception location requested _X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
Other
Comments: Access will be from existing county road, Mosby Road and existing two
track well/ranch access trails. Will build about 2700' of new access road. Drilling fluids
allowed to dry in the pits Drill cutting will be disposed of in the earthen reserve pits,
after being allowed to dry. Earthen pits will be backfilled when dry. No special
concerns.
Health Hazards/Noise
(possible concerns)
Proximity to public facilities/residences: <u>Closest residences</u> , none within a 1 mile radius
· · ·
from this location.
from this location. Possibility of H2S: Slight
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time.
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation:
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipment
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation:
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP equipment should
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation:
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP equipment should mitigate any problems.
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments:Adequate surface casing and operational BOP equipment should mitigate any problems. Wildlife/recreation
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP equipment should mitigate any problems.
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: Comments: Adequate surface casing and operational BOP equipment should mitigate any problems. Wildlife/recreation (possible concerns)
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation: _X_Proper BOP equipment Topographic sound barriers H2S contingency and/or evacuation plan Special equipment/procedures requirements Other: _Comments: _Adequate surface casing and operational BOP equipment should mitigate any problems. Wildlife/recreation (possible concerns) Proximity to sensitive wildlife areas (DFWP identified): None identified.
from this location. Possibility of H2S: Slight Size of rig/length of drilling time: Single or double derrick drilling rig/length of drilling time, 10 to 15 days drilling time. Mitigation:

Black-footed Ferret. Proposed listing is the Mountain Plover. Candidate species are the Greater Sage Grouse and Sprague's Pipit. NH Tracker website lists 4 species of

concern, Greater Sage Grouse, Loggerhead Shrike, Sage Trasher and Brewer's Sparrow. Shrike, Thrasher and Sparrow are migratory. Greater Sage Grouse is native. Mitigation: Avoidance (topographic tolerance/exception) __ Other agency review (DFWP, federal agencies, DSL) __ Screening/fencing of pits, drillsite Comments: Private surface lands. Utilizing existing roads and two track well access road for most of the access into this location. Surface is prairie grassland. Well will be drilled this spring. Montana Fish and Game concerns are mostly with the Greater Sage Grouse. Historical/Cultural/Paleontological (possible concerns) Proximity to known sites None identified __ avoidance (topographic tolerance, location exception) __ other agency review (SHPO, DSL, federal agencies) Comments: On private surface lands. No concerns. Social/Economic (possible concerns) __ Substantial effect on tax base __ Create demand for new governmental services Population increase or relocation Comments: No concerns. Remarks or Special Concerns for this site Well is a 5,200' TD vertical hole to the Kibbey Formation. **Summary: Evaluation of Impacts and Cumulative effects**

No long term impacts expected. Some short term impacts will occur with the drilling of this well.

I conclude that the approval of the subject Notice of Intent to Drill (does/does not) constitute a major action of state government significantly affecting the quality of the

human environment, and (does/ $\underline{\text{does not}}$) require the preparation of an environmental impact statement.
Prepared by (BOGC):_/s/Steven Sasaki(title:) Chief Field Inspector Date: March 11, 2011
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website (Name and Agency) Musselshell County water wells (subject discussed)
March 11, 2011 (date)
US Fish and Wildlife, Region 6 website (Name and Agency) ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA COUNTIES, Musselshell County
March 11, 2011 (date)
Montana Natural Heritage Program Website (FWP) (Name and Agency) Heritage State Rank= S1, S2, S3, T11N R30E (subject discussed)
March 11, 2011 (date)
If location was inspected before permit approval: Inspection date: Inspector:
Others present during inspection: